T-610 P.05/15 F-783

U.S. Application No.: 10/511,813

RESPONSE TO RESTRICTION REQUIREMENT

SECOND PRELIMINARY AMENDMENT

Attorney Docket: 4007.008

## IN THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

Claims 1-33 (canceled)

- 34. (currently amended) A method for detection of disorders characterized by abnormal cell proliferation in an individual comprising
- a. detecting the presence or absence and/or the level of expression of human transketolase like-1 gene in a biological sample obtained from said individual: and
- b. assessing diagnosis from said presence or absence and/or level of expression, wherein presence of overexpression is indicative of disorders characterized by abnormal cell proliferation.
- 35 (previously presented) The method according to claim 34, wherein the disorder characterized by abnormal cell proliferation is cancer.
- 36. (previously presented) The method according to claim 35, wherein the cancer is colon cancer, lung cancer, gastric cancer or pancreatic cancer.
- 37 (previously presented) The method according to claim 34, wherein the biological sample is a body fluid, a secretion, a smear, a biopsy, a liquid containing cells, lysed cells, cell debris, peptides or nucleic acids.
- 38. (previously presented) The method according to claim 37, wherein the sample is serum, urine, semen, stool, bile, a biopsy or a cell- or tissue-sample.

:WP297583.11

U.S. Application No.: 10/511,813

RESPONSE TO RESTRICTION REQUIREMENT

SECOND PRELIMINARY AMENDMENT

Attorney Docket: 4007.008

(previously presented) The method according to claim 34, wherein the detection of the 39. expression of the human transketolase like-1 gene is carried out on a polypeptide level.

- (previously presented) The method according to claim 34, wherein the detection of the 40. expression of the human transketolase like-1 gene is carried out on a nucleic acid level.
- (previously presented) The method according to claim 39, wherein the detection on the 41. polypeptide level is carried out using a binding agent directed against human transketolase like-1 polypeptides.
- (previously presented) The method of claim 41, wherein the binding agent is an antibody, 42. a fragment of an antibody, a peptidomimetic comprising an antigen binding epitope or a miniantibody.
- (previously presented) The method according to claim 39, wherein the detection is an 43. immuno-cytochemical detection procedure.
- (previously presented) The method according to claim 40, wherein at least one nucleic 44 acid probe, hybridizing to a human transketolase like-1 nucleic acid, is used for the detection.
- (previously presented) The method according to claim 44, wherein the probe is detectably 45. labelled.
- (previously presented) The method according to claim 45, wherein the label is selected 46 from the group consisting of a radioisotope, a bioluminescent compound, a chemiluminescent compound, a fluorescent compound, a metal chelate, or an enzyme.
- (previously presented) The method according to claim 40, wherein the detection reaction 47 comprises a nucleic acid amplification reaction.
- (previously presented) The method according to claim 44, wherein the amplification 48. reaction is PCR, LCR or NASBA. - 3 -{WP297583,1}

U.S. Application No. 10/511,813 RESPONSE TO RESTRICTION REQUIREMENT SECOND PRELIMINARY AMENDMENT

- Attorney Docket: 4007.008
- 49. (previously presented) The method according to claim 40, which is used for in-situ hybridization.
- 50. (previously presented) The method according to claim 34 which is used in the course of an in vivo or in vitro molecular imaging method.
- 51. (previously presented) A kit for performing the method of claim 34, which is a research kit or a diagnostic kit.
- 52. (previously presented) The kit of claim 51 comprising
- a. at least one probe for the detection of human transketolase like-1 gene expression products in biological samples;
- b. a human transketolase like-1 gene product sample for performing a positive control reaction
- 53. (previously presented) The kit of claim 52, wherein the probe is a nucleic acid probe, specifically hybridizing to human transketolase like-1 nucleic acids or an antibody specifically binding human transketolase like-1 proteins.
- 54. (previously presented) A method for treating disorders characterized by abnormal proliferation of cells based on the administration of a pharmaceutical composition containing a human transketolase like-1 gene or gene product in a pharmaceutical acceptable form.
- 55. (previously presented) The method according to claim 54, wherein the human transketolase like-1 gene or gene product is a nucleic acid in sense or antisense orientation or a polypeptide.
- 56. (previously presented) The method according to claim 55, wherein the pharmaceutical composition comprises a chimeric nucleic acid comprising a human transketolase like-1 nucleic acid or fragments thereof or a fusion polypeptide comprising a human transketolase like-1 (WP297583:1) 4-

Attorney Docket: 4007.008

U.S. Application No.: 10/511,813 RESPONSE TO RESTRICTION REQUIREMENT SECOND PRELIMINARY AMENDMENT

polypeptide or fragments thereof.

- 57. (previously presented) The method according to claim 54, wherein the disorder characterized by abnormal cell proliferation is cancer.
- 58. (previously presented) The method according to claim 56, wherein the cancer is colon cancer, lung cancer, gastric cancer or pancreatic cancer.
- 59. (previously presented) The method according to claim 54, wherein the method for treatment is immunotherapy.
- 60. (previously presented) The method according to claim 54, wherein the method for treatment is vaccination therapy.
- 61. (previously presented) A method of identifying and obtaining a drug candidate for therapy of tumors of the colon, the lung, the pancreas or the stomach comprising the steps of
- a. contacting a TKT-L1 polypeptide us used in the method of the present invention or a cell expressing said polypeptide in the presence of components capable of providing a detectable signal in response to transketolase activity or to altered regulation of cell proliferation, and
- b. detecting presence or absence of a signal or increase of the signal generated from transketolase activity or altered regulation of cell proliferation, wherein the absence or decrease of the signal is indicative for a putative drug
- 62. (previously presented) A pharmaceutical composition for the treatment of tumors of the colon, the lung, the pancreas or the stomach, comprising a compound identifiable by the method according to claim 61, an antithiamine compound, an inhibitor of transketolase enzyme activity, an inhibitor of transketolase like-1 activity, a transketolase like-1 polypeptide or a human transketolase like-1 nucleic acid.
- 63. (previously presented) A method for rational tumor management comprising {wp297583;1} 5 -

U.S. Application No.: 10/511,813

RESPONSE TO RESTRICTION REQUIREMENT

SECOND PRELIMINARY AMENDMENT

Attorney Docket: 4007.008

a. detecting the presence or absence and or the level of overexpression of transketolase likel gene in biological samples

- b. building of subgroups according to the presence or absence and/or the levels of transketolase like-1 gene
- c. tailoring an adequate therapy according to the subgroups comprising reduction of transketolase like-1 activity in individuals or in cells of individuals.
- 64. The method according to claim 63, wherein the reduction of the activity of transketolase like-1 is achieved by the administration of antithiamine compounds, of pharmaceutical compositions of claim 63, of inhibitors of transketolase enzyme activity, of transketolase like-1 antisense constructs, of ribozymes specific for transketolase like-1 or by reduced administration of thiamine.